

GOVERNMENT OF TELANGANA
ABSTRACT

Public Servants – PR&RD Dept. – Allegation of irregularities in construction of work “Road connecting from Maddikal Gollavada to Elkeswaram of GP Maddikal in Jaipur Mandal” in Manchiryal Division of Adilabad District – Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District - Disciplinary proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016 – Article of charges – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 38

Dated: 12-01-2017

ORDER:

It is proposed to hold an enquiry against Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016.

2. The substance of the imputations of misconduct or misbehavior in respect of which the enquiry is proposed to be held is set out in the enclosed statement of article of charges (Annexure-I). A list of documents by which and a list of witnesses by whom, the article of charges are proposed to be sustained are also enclosed (Annexure-II&III).

3. Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, is directed to submit within ten (10) days of the receipt of this order, a written statement of his defence.

4. Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, is informed that an enquiry will be held only in respect of article of those charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, is further informed that if he does not submit his written statement of defence on or before the Period specified in Para 3 above or otherwise fails or refuses to comply with the provisions of Rule 20 of Andhra Pradesh Civil Services (Classification, Control & Appeal) Rules, 1991 (Telangana Adaptation) order, 2016 or the orders / directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry against him ex-parte.

6. Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) order, 2016, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria, presently working as DEE (PR) Sub-Division Bellampally of Adilabad District, is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 (Telangana Adaptation) order, 2016.

7. The receipt of this G.O. shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

S.P.SINGH

CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

To

Sri L. Suresh, the then Deputy Executive Engineer (PIU) Sub Division Mancheria,

(P.T.O.)

::2::

presently working as DEE (PR) Sub-Division Bellampally of Adilabad District
through the Engineer-in-Chief, Panchayat Raj, Hyderabad
The Engineer-in-Chief, Panchayat Raj, Hyderabad.
(in duplicate with a request to serve and return the dated acknowledgement copy)
SF/SC

//FORWARDED ::BY ORDER//

SECTION OFFICER

ANNEXURE –I

(Annexure to G.O.Rt.No. 38 , PR&RD (Vig.I) Dept., dt.12.01.2017)

STATEMENT OF ARTICLES OF CHARGE FRAMED AGAINST SRI L. SURESH, THE THEN DEPUTY EXECUTIVE ENGINEER (PIU) SUB DIVISION MANCHERIAL, PRESENTLY WORKING AS DEE (PR) SUB-DIVISION BELLAMPALLY OF ADILABAD DISTRICT

Charge I:

That the said Sri L. Suresh, DEE (PR), now working at PRSD Bellampally of Adilabad while functioning as the Deputy Executive Engineer (PIU) Sub Division Mancherial has violated the departmental procedures in the execution of the work "Road connecting from Maddikkal Gollawada to Elkeswaram of GP Maddikkal in Jaipur mandal" of Adilabad Dist sanctioned under PMGSY. He is responsible for the lapse in getting approval of modified estimate duly deleting the provisions executed under EGS.

Basis:

The Chief Quality Control officer, MGNREGS, Telangana has conducted an enquiry and submitted his report dt. 22.01.2015 in the matter, It is observed that the said work was taken up by both the Executive Engineers PR Division and PIU Division under EGS and PMGSY. The length of the road is 2.80 KM out of which 600 mts length I.e 1/8 to 2/4 KM is overlapped. The PMGSY work was commenced after stopping of EGS work. On the verification of M.Bs the provision executed under EGS and PMGSY in the overlap reach are as follows

| Items | EGS Completed on | PMGSY completed on |
|--------------|------------------|---------------------------|
| Earth work | 16.4.2012 | 04.06.2013 |
| Gravel (GSB) | 09.01.2013 | 25.09.2013 12.10.2013 |
| Metalling | 11.03.2013 | 22.03.2014, 07.04.2014 |
| BT | | 04.06.2014 |
| CC | | 30.10.2014 |

The earth work completed under PMGSY by 04.06.2013 there was no rainy season and no question of disappear of metal layer executed under EGS Sri L. Suresh, DEE has violated the departmental procedures in vogue and not discharged the official duties properly.

Hence the charge.

Charge II:

That the said Sri L. Suresh, DEE (PR) has violated the departmental procedures in the execution of the work "Road connecting from Maddikkal Gollawada to Elkeswaram of GP Maddikkal in Jaipur mandal of Adilabad Dist sanctioned under PMGSY" for not taking clearance from the State Technical Authority for the provisions of GSB and Grade II layers already executed in EGS for the overlapped reach.

Basis:

The Chief Quality Control officer, MGNREGS, Telangana has conducted an enquiry and submitted his report dt. 22.01.2015 which states that as per the PMGSY norms, the photos for every 100M had taken while preparation of DPR. And as per the normal National Rural Road Dept. the DPR is scrutinized and obtained technical clearance from State technical Authority for the total length of 2.8KM with the provisions of Gravel sub base and Grade II metal layers if the items already executed in EGS grant for the overlapped reach if in opinion that provisions executed under EGS are of not useful. The expenditure incurred under EGS in overlap reach is of Rs.5,47,537/-.

P.T.O.

::2::

Thereby Sri L. Suresh, DEE (PIU), while has violated the departmental procedures in vogue and grossly neglected his official duties.

Hence the charge.

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER

ANNEXURE –II

(Annexure to G.O.Rt.No. 38 , PR&RD (Vig.I) Dept., dt.12.01.2017)

LIST OF DOCUMENTS BY WHICH THE ARTICLES OF CHARGE FRAMED AGAINST SRI L. SURESH, THE THEN DEPUTY EXECUTIVE ENGINEER (PIU) SUB DIVISION MANCHERIAL, PRESENTLY WORKING AS DEE (PR) SUB-DIVISION BELLAMPALLY OF ADILABAD DISTRICT ARE PROPOSED TO BE SUSTAINED.

Lr.No.J3/138/EGS/CQCO/Adilabad/2014,dated 22.01.2015 of C.Q.C.O., MGNREGS, Hyderabad.

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER

ANNEXURE - III

(Annexure to G.O.Rt.No.38, PR&RD (Vig.I) Dept., dt.12.01.2017)

LIST OF WITNESSES BY WHOM THE ARTICLE OF CHARGES FRAMED AGAINST AGAINST SRI L. SURESH, THE THEN DEPUTY EXECUTIVE ENGINEER (PIU) SUB DIVISION MANCHERIAL, PRESENTLY WORKING AS DEE (PR) SUB-DIVISION BELLAMPALLY OF ADILABAD DISTRICT ARE PROPOSED TO BE SUSTAINED.

–NIL–

S.P.SINGH
CHIEF SECRETARY TO GOVERNMENT &
SPECIAL CHIEF SECRETARY TO GOVERNMENT(FAC)

SECTION OFFICER